# Axelent Productinformation

» X-Rail Fall Protection



## **Axelent X-Rail Fall Protection**

Our X-Rail fall protection system can be used as an edge protection for mezzanine floors. The system is a modification of our X-Guard range and therefore the system can fill dual purposes, mezzanine protection and machine guarding.

X-Rail can be used either without panels or with X-Guard Classic panels - mesh, plastic, and sheet metal.

Note! If no panel is used between the posts – Handrail, Knee rail and kick plate are used. If a panel is used between the posts, only the handrail and kickplate is mandatory. Tested and approved against the following standards:

- DIN EN ISO 14122-3: 2016
- BS 6180:2011
- AS 1657:2018
- OSHA 1910.29

All tests and verification have been performed with below various types of floor to ensure that it works in different environments:

- Concrete
- 38 mm mdf board placed on top of an I-beam in steel
- Grid floor placed above an I-beam in steel





### **Technical information**

#### **Mesh panels**

Our mesh panels 1300 mm and 2200 mm comes in 13 different widths. Both of the panels have customized post to fit the height. See next page.

The standard panel colour is RAL 9011 but customized colours are available upon request.

#### Sheet metal and plastic panels

The X-Rail series also has sheet metal and plastic panels and they come in one height, 2200 mm, and four widths. Sheet metal panels come in standard colour RAL 9011.

#### Post

The post 50x50 mm comes in two heights and the colours range is RAL 1018, but customized colours are available upon request.

#### Handrail

Available in length to fit panels with the width 1000 mm and 1500 mm. For other widths of panels, the handrail needs to be adjusted in length by being cut in place during assembly. Brackets for placement in keyholes are a standard default but if free placement is needed there is a seperated article number.

The standard colour is RAL 9011 (only available in this color).

#### **Kick plate**

A kick plate is always included in RAL 9011 (only available in this color).

Available in length 1000 mm and 1500 mm, for other lengths the plate needs to be cut in place during assembly.



Product facts X-Rail		
Uprights	30x20 mm	
Horizontals	25x15 mm	
Posts	50x50 mm	
Vertical wires	Ø 3 mm	
Horizontal wires	Ø 2.5 mm	
Mesh aperture	50x30 mm	
Plastic	2 mm (thermoplastic polyester)	
Sheet	0,8 mm	
Finish	Phosphatising/Epoxy paint	
Colour mesh panel	Graphit black RAL 9011	
Colour post 50x50 mm	Zink yellow RAL 1018	

(Other colours can be quoted)

Art.noHeight (mm)Width (mm)Art.noHeight (mm)Width (mm)Graphit black (RAL 9011)W322-13002513000250W322-22002522000250W322-13004013000400W322-22004022000400W322-13005013000500W322-22005022000500W322-13006013000600W322-22006022000600W322-13007013000700W322-22007022000600W322-13008013000800W322-22007022000700W322-13010013001000W322-22009022000900W322-13010013001000W322-22010022001000W322-13010013001000W322-22010022001000W322-13010013001200W322-22010022001200W322-130130130013001300W322-22013022001300W322-13014013001400W322-22014022001400W322-213015013001500W322-22015022001500	Mesh panels Clas	sic 50x30 mm				
W322-130025 1300 0250 W322-20025 2200 0250   W322-130040 1300 0400 W322-20040 2200 0400   W322-130050 1300 0500 W322-20050 2200 0500   W322-130060 1300 0600 W322-20060 2200 0600   W322-130070 1300 0700 W322-20060 2200 0600   W322-130080 1300 0800 W322-20070 2200 0700   W322-130100 1300 0900 W322-20090 2200 0900   W322-130110 1300 1000 W322-20100 2200 1000   W322-130110 1300 1200 W322-20110 2200 1100   W322-130130 1300 1300 1300 1200 W322-20130 2200 1200   W322-130140 1300 1400 W322-20140 2200 1400	Art.no	Height (mm)	Width (mm)	Art.no	Height (mm)	Width (mm)
W322-13004013000400W322-22004022000400W322-13005013000500W322-22005022000500W322-13006013000600W322-22006022000600W322-13007013000700W322-22006022000600W322-13008013000800W322-22008022000700W322-13010013000900W322-22009022000900W322-13011013001000W322-22010022001000W322-13012013001200W322-22011022001100W322-13013013001300130013001300W322-13014013001400W322-22014022001400	Graphit black (RAL	9011)				
W322-13005013000500W322-13006013000600W322-13007013000700W322-13008013000700W322-13009013000800W322-13010013000900W322-13010013001000W322-13010013001000W322-13012013001200W322-13013013001200W322-13014013001400	W322-130025	1300	0250	W322-220025	2200	0250
W322-13006013000600W322-22006022000600W322-13007013000700W322-22007022000700W322-13008013000800W322-22008022000800W322-13010013000900W322-22009022000900W322-13010013001000W322-22010022000900W322-13011013001100W322-22011022001000W322-13012013001200W322-22012022001200W322-130130130013001300W322-22013022001300W322-13014013001400W322-22014022001400	W322-130040	1300	0400	W322-220040	2200	0400
W322-130070 1300 0700   W322-130080 1300 0800   W322-130090 1300 0900   W322-130100 1300 0900   W322-130100 1300 1000   W322-130100 1300 1000   W322-130110 1300 1000   W322-130120 1300 1200   W322-130130 1300 1200   W322-130140 1300 1400	W322-130050	1300	0500	W322-220050	2200	0500
W322-13008013000800W322-22008022000800W322-13009013000900W322-22009022000900W322-13010013001000W322-22010022001000W322-13011013001100W322-22011022001000W322-13012013001200W322-22012022001100W322-130130130013001300W322-22013022001200W322-13014013001400W322-22014022001400	W322-130060	1300	0600	W322-220060	2200	0600
W322-130090 1300 0900 W322-220090 2200 0900   W322-130100 1300 1000 W322-220100 2200 1000   W322-130110 1300 1100 W322-220110 2200 1000   W322-130120 1300 1200 W322-220120 2200 1100   W322-130130 1300 1200 W322-220130 2200 1200   W322-130140 1300 1400 W322-220140 2200 1400	W322-130070	1300	0700	W322-220070	2200	0700
W322-130100 1300 1000   W322-130110 1300 1100   W322-130120 1300 1200   W322-130130 1300 1200   W322-130140 1300 1400	W322-130080	1300	0800	W322-220080	2200	0800
W322-130110 1300 1100 W322-220110 2200 1100   W322-130120 1300 1200 W322-220120 2200 1200   W322-130130 1300 1300 1300 W322-220130 2200 1200   W322-130140 1300 1400 W322-220140 2200 1400	W322-130090	1300	0900	W322-220090	2200	0900
W322-13012013001200W322-22012022001200W322-13013013001300W322-22013022001300W322-13014013001400W322-22014022001400	W322-130100	1300	1000	W322-220100	2200	1000
W322-130130   1300   1300   W322-220130   2200   1300     W322-130140   1300   1400   W322-220140   2200   1400	W322-130110	1300	1100	W322-220110	2200	1100
W322-130140   1300   1400   W322-220140   2200   1400	W322-130120	1300	1200	W322-220120	2200	1200
	W322-130130	1300	1300	W322-220130	2200	1300
W322-130150 1300 1500 W322-220150 2200 1500	W322-130140	1300	1400	W322-220140	2200	1400
	W322-130150	1300	1500	W322-220150	2200	1500

(Fixings are included with the panels)

Plastic			Sheet			
Art.no	Height (mm)	Width (mm)	Art.no	Height (mm)	Width (mm)	

W328-220025	2200	0250	W329-220025
W328-220040	2200	0400	W329-220040
W328-220070	2200	0700	W329-220070
W328-220100	2200	1000	W329-220100

(Fixings are included with the panels)

(Fixings are included with the panels)

Posts		
Art.no	Gap to floor (mm)	Height (mm)
50 x 50 mm - Zink yell	ow (RAL 1018)	
P1170-140	100	1400

X-Rail Self-closing	swing gate	
Art.No.	Description	
Zink yellow (RAL 10	18)	

Handrail		
Art.no	Description	
00500 107 0		
G2528-107-3	Handrail L=1000 mm, RAL 9011	
G2528-157-3	Handrail L=1500 mm, RAL 9011	
B00-059	Handrail fittings with selfdrilling screw, 1 KIT, RAL 9011	
B00-060	Handrail fittings with rivet, 1 KIT, RAL 9011	
G2529	Handrail inner corner (with support arm), RAL 9011	
G2530	Handrail outer corner, RAL 9011	
B00-103	Handrail end, RAL 9011	

Kick plate		
Art.no	Description	
T08-3-100RE	Kick plate L=1000 mm, RAL 9011	
T08-3-150RE	Kick plate L=1500 mm, RAL 9011	
B00-057	Inner corner bracket to Kickplate	

Accessories	
Art.no	Description
T01-25	Shim set, 2x2mm + 2x4mm, for post height adjustment X-Rail
T01-41	Shims set, for post adjustment (20pcs), 22x20x11x0,7 mm
T01-42	Shims set, for post adjustment (20pcs), 50x40x13x1,0 mm

